


Saint-Tropez Assembly Manual




⚠ CAUTION:

1. Make sure the weight to cross base is heavy enough before open the umbrella.
2. When moving the slider, make sure the plastic part on the handle has been pressed down. Otherwise, the pin inside will scratch the pole.
3. When the parasol is fully opened, do not over turn the crank handle for avoiding any damage.
4. Close the umbrella in windy or rainy day.


UMBRELLA COMPONENTS

Ref.	Components	Qty.
A	Umbrella	1pc
B	Rotation bearing	1pc
C	6# wrench	1pc
D	Crank handle	1pc
E	Assembly Manual	1pc
F	M8 Bolts/Washer	2set



5. Close the umbrella

Close umbrella by moving the slider to bottom hole, and turn the crank in counterclockwise direction, fully close umbrella and tie the cover by band (a-14,a-15,a-16,a-17,a-18).




4. Rotation function

Press down on the pedal of the Rotation part (a-12). Rotate the sunshade around the pole with 360 degrees to any desired angle (a-13).

☆ Caution

Never leave this product in the open position over night or while away. Weather conditions causing gusting winds could result in damage to this product. If you notice excessive swaying or movement in windy conditions close the shade system.




1. Assemble the umbrella

1. Take out the umbrella main body and rotation part from the carton, remove the packing material.
2. Install the umbrella onto the rotation part with umbrella roof, and foot pedal of the rotation part on the same side.
3. Lock the umbrella mast pole and rotation part together with locking the 2 pcs screws in the clockwise way(a-1,a-2,a-3).

☆ Caution

The rotation part should be fixed properly on the base to avoid any damage or injury. It's important to choose a proper base to ensure the umbrella will be used in a safe condition.




2. Open the umbrella


1. Untie the band on the canopy, insert the handle into the slider handle hole, hold the end of rib with one hand and hold handle with another(a-4).
2. Turn the crank in the clockwise direction to open the umbrella completely, and adjust the shade angle by moving the slider to different hole on the standing pole(a-5,a-6,a-7,a-8).

☆ Caution


Do not overexert on the crank after the umbrella being completely opened. Otherwise the umbrella might be damaged.




a-4




a-5



a-6



a-7




a-8


3. Tilt Function in left/right direction

1. Make sure the umbrella is fully opened and at the level position before operation.
2. Pull the slide that hand can touch the end of rib (a-9,a-10).
3. Pull the driving handle to the limiting position before moving the canopy to it's requested angle pull the umbrella rib end and at left right side. Then put the driving handle to it's original place (a-11).


Reset: Pull the driving handle to it's limiting position, the canopy will be back by itself.



a-9



a-10



a-11